



Telephone Number: 01603 905501  
E: info@guttervacuumsystems.co.uk

## GUTTER WASH

### TRAFFIC FILM REMOVER (NON CAUSTIC)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1 Product Identifier

**Product Name:** TRAFFIC FILM REMOVER (NON CAUSTIC)

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

##### 1.3 Details of the supplier of the safety data sheet:

Gutter Vacuum Systems Ltd  
2 Mill Cottage, Billingford Road,  
North Elmham,  
Dereham  
NR20 5HN

Phone: (UK) 01603 905501  
E: info@guttervacuumsystems.co.uk  
W: www.guttervacuumsystems.co.uk

##### 1.4 Emergency telephone number:


01603 905501 (Office hours only)

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1 Classification of the substance or mixture

Classification under CLP	Eye Dam. 1: H318
Most important adverse effects:	Causes serious eye damage.

##### 2.2. Label elements:

Hazard Pictograms	 GHS05: Corrosion
Signal word	Danger
Hazard statements:	H318: May be corrosive to metals
Precautionary Statements:	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310: Immediately call a POISON CENTER or doctor.

##### 2.3 Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

**Trade Name:** Gutter Wash Traffic Film Remover (Non Caustic)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

##### Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE,POLYMER (8 MOLE EO AVERAGE)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
	69011-36-5		Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

C9-11 A<sub>n</sub>>3-6EO PREDOMINANTLY LINEAR(DID21)

POLYMER	1680875-66 -1		Eye Dam. 1: H318	1-10%
---------	---------------	--	------------------	-------

B-ALANINE,N-COCO ALKYL DERIVATIVES,SODIUM SALTS

271-795-1	68608-68-4		Eye Irrit. 2: H319	1-10%
-----------	------------	--	--------------------	-------

B-ALANINE,N-COCO ALKYL DERIVATIVES,SODIUM SALTS

	308062-28-4		Eye Dam. 1: H318; Skin Irrit. 2: H315; Aquatic Acute 1: H400; Aquatic Chronic 2: H411	1-10%
--	-------------	--	---	-------

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.

#### 4.2 Most important symptoms and effects, both acute and delayed

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment	Eye bathing equipment should be available on the premises.
-------------------------------	--

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Extinguishing media: Water.

#### 5.2 Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3 Advice for fire-fighters

##### Advice for fire-fighters:

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Trade Name:** Gutter Wash Traffic Film Remover (Non Caustic)

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leake side up to prevent the escape of liquid.

### 6.2 Environmental precautions

**Environmental precautions:**

Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3 Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a suitable container.

### 6.4 Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Polyethylene. Stainless steel. Teflon.

### 7.3 Specific end use(s)

**Specific end use(s):** No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

**Workplace exposure limits:** No data available.

**DNEL / PNEC:** No data available.

### 8.2 Exposure controls

<b>Engineering measures:</b>	Ensure there is sufficient ventilation of the area.
<b>Respiratory protection:</b>	Self-contained breathing apparatus must be available in case of emergency.
<b>Hand protection:</b>	Gloves (alkali-resistant).
<b>Eye protection:</b>	Tightly fitting safety goggles. Ensure eye bath is to hand.
<b>Skin protection:</b>	Protective clothing.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>State</b>	liquid
<b>Colour</b>	Yellow
<b>Odour</b>	Barely perceptible odour
<b>Evaporation rate:</b>	Moderate
<b>Oxidising</b>	Non-oxidising (by EC criteria)
<b>Solubility in water</b>	Soluble
<b>Viscosity</b>	Non-viscous
<b>Boiling point/range°C</b>	100

**Trade Name:** Gutter Wash Traffic Film Remover (Non Caustic)

Flammability limits %: lower	Not applicable.
Flash point°C	Not applicable.
Autoflammability°C	Not applicable.
Relative density	1.074
VOC g/l	0
Melting point/range°C	0
Upper	Not applicable.
Part.coeff. n-octanol/water	Not applicable.
Vapour pressure	Not applicable.
pH:	10.5

## 9.2 Other information

Other information: No data available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2 Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

No data available.

### 10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE,POLYMER (8 MOLE EO AVERAGE)

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	300-2000	mg/kg

C9-11 A,>3-6EO PREDOMINANTLY LINEAR(DID21)

ORAL	RAT	LD50	300-2000	mg/kg
------	-----	------	----------	-------

B-ALANINE,N-COCO ALKYL DERIVATIVES,SODIUM SALTS

ORAL		LD50	>5000	mg/kg
------	--	------	-------	-------

AMINES, C12-14(EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDE

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	1065	mg/kg

**Trade Name:** Gutter Wash Traffic Film Remover (Non Caustic)

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

### Signs & Symptoms of Exposure

<b>Skin contact</b>	There may be irritation and redness at the site of contact.
<b>Eye contact</b>	There may be irritation and redness.
<b>Ingestion</b>	There may be soreness and redness of the mouth and throat.
<b>Inhalation</b>	There may be irritation of the throat with a feeling of tightness in the chest.
<b>Delayed / immediate effects</b>	Immediate effects can be expected after short-term exposure.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE,POLYMER (8 MOLE EO AVERAGE)

Daphnia magna	48H EC50	1-10	mg/l
FISH	96H LC50	1-10	mg/l

C9-11 A<sub>n</sub>>3-6EO PREDOMINANTLY LINEAR(DID21)

ALGAE	48H EC50	10-100	mg/l
DAPHNIA	48H EC50	10-100	mg/l
FISH	96H LC50	10-100	mg/l

B-ALANINE,N-COCO ALKYL DERIVATIVES,SODIUM SALTS

	48H EC50	18	mg/l
--	----------	----	------

AMINES, C12-14(EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDE

ALGAE	96H LC50	0.143	mg/l
Daphnia magna	48H EC50	3.1	mg/l
FISH	96H LC50	2.67	mg/l

### 12.2 Persistence and degradability

**Persistence and degradability:**

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents. Biodegradable.

### 12.3 Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential

### 12.4 Mobility in soil

**Mobility:** Soluble in water

### 12.5 Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

No data available.

**Trade Name:** Gutter Wash Traffic Film Remover (Non Caustic)

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **13.1 Waste treatment methods**

**Disposal of packaging:** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### **SECTION 14: TRANSPORT INFORMATION**

**Transport class:** This product does not require a classification for transport.

### **SECTION 15: REGULATORY INFORMATION**

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** Not applicable.

#### **15.2 Chemical Safety Assessment**

**Chemical safety assessment:**

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### **SECTION 16: OTHER INFORMATION**

#### **Other information:**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

#### **Phrases used in s.2 and s.3:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

#### **Legal disclaimer:**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.